

# Product Sheet

## Meshify 2 XL



# Index

|     |                        |
|-----|------------------------|
| 3   | Overview               |
| 4   | Key features           |
| 5-6 | General specifications |
| 7   | Package contents       |
|     | Additional information |

# Meshify 2 XL

## A classic evolved.

The Meshify 2 XL is a massive high-performance case with a bold, stealth-inspired aesthetic. Its striking exterior features bolt-free, flush tempered glass, a fully removable top granting excellent interior access, and a fully redesigned front complete with USB 3.1 Gen 2 Type-C. The enormous dual-layout interior supports full-sized E-ATX and SSI-EEB boards, gigantic storage arrays and radiators up to 480 mm to make cooling a breeze.



# Key features

- Iconic angular mesh design provides filtered airflow with a bold, stealth-inspired aesthetic
- Spacious and extensively adaptable dual-layout interior easily accommodates large motherboards up to and including E-ATX and SSI-EEB
- Support for radiators up to 480/420 mm in front, 480/420 mm up top, or 280/240 mm in the base in the default Open Layout
- Includes 6 HDD/SSD trays, 2 SSD brackets, and 2 universal Multibrackets for mounting up to 10 drives
- Expandable to 16 trays and 5 SSD brackets with 2 Multibrackets installed in the top for a max of up to 23 drives in Storage Layout
- New chassis design that opens up to fully expose the case interior on three sides for totally unhindered installation and cable routing
- New front nylon filter that can be removed for increased airflow
- New front panel design with hinged removable mesh filter and tether-free bezel for easier access to front fan mounts
- Three front USB ports including one USB 3.1 Gen 2 Type-C with fast charging support and speeds up to 10Gbps
- Ultra-slim Nexus+ 2 fan hub connects up to three PWM fans and six 3-pin fans directly in line with cable channels along the edge of the case
- Outstanding cooling capacity with a total of nine 120/140 mm fan mounts and three preinstalled Dynamic X2 GP-14 fans
- Easy-to-clean high airflow nylon filters on the top and base with full PSU coverage and convenient front access
- Detachable PSU cable shield and integrated cable guides with velcro straps further simplify cable management behind the board
- Versatile Multibrackets that convert any unused fan position to an HDD, SSD or pump mount
- Three vertical GPU slots for use with the Flex VRC-25 PCIe riser, available separately
- Ventilated PSU shroud with two-part removable cover for optimal coverage and front radiator support
- Tool-less, top-latching panels allow quick access while preventing accidental drops
- Bridgeless expansion slots ensure obstruction-free connections for easier installation and hookup

# General specifications

|                             |                                                                                 |
|-----------------------------|---------------------------------------------------------------------------------|
| 3.5"/2.5" drive mounts      | • 6 included, 18 positions total + 2 Multibrackets                              |
| Dedicated 2.5" drive mounts | • 2 included, 5 positions total                                                 |
| 5.25" drive mounts          | • 0                                                                             |
| Expansion slots             | • 9 + 3                                                                         |
| Motherboard compatibility   | • E-ATX / ATX / mATX / Mini-ITX / EE-ATX / SSI-CEB / SSI-EEB                    |
| Power supply type           | • ATX                                                                           |
| Front interface             | • 1x USB 3.1 Gen 2 Type-C, 2x USB 3.0,<br>Audio I/O, Power button, Reset button |
| Total fan mounts            | • 11x 120 mm or 9x 140 mm                                                       |
| Front fan                   | • 4x 120 mm or 3x 140 mm, (2x Dynamic X2 GP-14 included)                        |
| Top fan                     | • 4x 120 mm or 3x 140 mm                                                        |
| Rear fan                    | • 1x 120/140 mm, (1x Dynamic X2 GP-14 included)                                 |
| Bottom fan                  | • 2x 120/140 mm                                                                 |
| Dust filters                | • Top, front and bottom                                                         |
| Front radiator              | • Up to 480/420 mm                                                              |
| Top radiator                | • Up to 480/420 mm                                                              |
| Rear radiator               | • 120 mm                                                                        |
| Bottom radiator             | • Up to 240/280 mm                                                              |
| PSU max length              | • 250 mm (both HDD cages installed)                                             |
| GPU max length              | • Storage layout: 359 mm<br>• Open layout: 549 mm (524 mm w/ front fan)         |

# General specifications

|                                             |                              |
|---------------------------------------------|------------------------------|
| CPU cooler max height                       | • 185 mm                     |
| Cable routing space                         | • 30 mm                      |
| Cable routing grommets                      | • Yes                        |
| Fixed velcro straps                         | • Yes                        |
| Tool-less push-to-lock                      | • Top, front and side panels |
| Captive thumbscrews                         | • HDD, SSD and PSU brackets  |
| Left side panel                             | • Tempered glass             |
| Right side panel                            | • Steel                      |
| Case dimensions (LxWxH)                     | • 600 x 240 x 566 mm         |
| Case dimensions w/o feet/protrusions/screws | • 588 x 240 x 547 mm         |
| Net weight                                  | • 14.1 kg                    |
| Package dimensions (LxWxH)                  | • 651 x 330 x 684            |
| Gross weight                                | • 16.4 kg                    |

# Package contents

- Meshify 2 XL Case
- Accessory box
- User Manual
- Screw Box

# Additional information

| Product                          | SKU           | EAN           | UPC          | JAN           | ASIN       |
|----------------------------------|---------------|---------------|--------------|---------------|------------|
| Meshify 2 XL Black TG Dark Tint  | FD-C-MES2X-01 | 7340172702559 | 843276102555 | 4537694277358 | B082318ZCB |
| Meshify 2 XL Black TG Light Tint | FD-C-MES2X-02 | 7340172702566 | 843276102562 | 4537694277365 | B08232YMV9 |