

Product Sheet

Pop Mini Silent

English Version




Index

3	Overview
4	Key features
5-6	General specifications
7	Package contents
	Additional information

Pop Mini Silent

Simply sleek

Fractal fuse flair with function in the new Pop series of cases that doesn't skimp on aesthetics or flexibility. The Pop Mini Silent offers a sound-damped build in excellent quality and with a modest footprint.



Key features

- Accommodates mATX / Mini ITX Motherboards
- Excellent noise reduction thanks to a closed front, a closed top, bitumen side panels and sound-damping foam
- Easily mounted tempered glass side panel lets you showcase your components (Pop Mini Silent TG)
- Up to two HDDs and six SSDs (or one HDD and five SSDs with one optical bay in use)
- Comes with three of our 120 mm Aspect fans
- Two neatly concealed 5.25" bays with storage drawer and magnetic cover
- Easy cable management with multiple tie-down points, pre-mounted velcro straps and convenient extra-large pass-through holes
- Front I/O comes with two 3.0 USB 5 Gb/s ports, Mic and headphone jacks
- Optional USB-C upgrade kit (available separately) adds a full speed USB Type-C front port
- Comes with two ultra-versatile trays, each supporting a 3.5" and a 2.5" drive simultaneously



General specifications

	Pop Mini Silent TG	Pop Mini Silent Solid
Dedicated 3.5" drive mounts	• 0	• 0
Dedicated 2.5" drive mounts	• 4 (2 included)	• 4 (2 included)
Combined 3.5/2.5" drive mounts	• 2 (2 Included)	• 2 (2 included)
5.25" drive mounts	• 2	• 2
Expansion slots	• 4	• 4
Motherboard compatibility	• mATX / Mini ITX	• mATX / Mini ITX
Power supply type	• ATX	• ATX
Front interface	• 2x USB 3.0*, Audio	• 2x USB 3.0*, Audio
Total fan mounts	• 3x 120 mm or 1x 140 mm + 1x 120	• 3x 120 mm or 1x 140 mm + 1x 120
Front fan	• 2x 120/ 1x 140 mm (2x Aspect 12 included)	• 2x 120/ 1x 140 mm (2x Aspect 12 included)
Top fan	• N/A	• N/A
Rear fan	• 1x 120 mm (1x Aspect 12 included)	• 1x 120 mm (1x Aspect 12 included)
Bottom fan	• N/A	• N/A
Dust filters	• PSU (nylon), Front side intake (perforated steel)	• PSU (nylon), Front side intake (perforated steel)
Front radiator	• Up to 240 mm	• Up to 240 mm
Top radiator	• N/A	• N/A
Rear radiator	• 1 x 120 mm	• 1 x 120 mm
Bottom radiator	• N/A	• N/A

General specifications

	Pop Mini Silent TG	Pop Mini Silent Solid
PSU max length	• 150 mm	• 150 mm
GPU max length	• 340 mm with front fan mounted	• 340 mm with front fan mounted
CPU cooler max height	• 170 mm	• 170 mm
Cable routing space	• 19 mm	• 19 mm
Cable routing grommets	• No	• No
Fixed velcro straps	• Yes, 2 pcs	• Yes, 2 pcs
Tool-less push-to-lock	• N/A	• N/A
Captive thumbscrews	• HDD brackets, SSD brackets, Side panels	• HDD brackets, SSD brackets, Side panels
Left side panel	• Tempered glass, Clear Tint, 3 mm	• Industrial sound damped steel
Right side panel	• Industrial sound damped steel	• Industrial sound damped steel
Case dimensions (LxWxH)	• 432 x 215 x 393 mm	• 432 x 215 x 393 mm
Net weight	• 6.23 kg	• 6.18 kg
Package dimensions (LxWxH)	• 517 x 293 x 480 mm	• 517 x 293 x 480 mm
Gross weight	• 7.51 kg	• 7.46 kg

* USB 3.1 Gen 2 Type-C add-on available separately

Package contents

Pop Mini Silent

- Pop Mini Silent case
- Accessory bag
- User manual

Additional information

Product	SKU	EAN	UPC	JAN
Pop Mini Silent Black Solid	FD-C-POSIM-01	7340172703259	843276103255	4537694286374
Pop Mini Silent Black TG Clear Tint	FD-C-POSIM-02	7340172703266	843276103262	4537694286381